

Vientosur
Mercuriusweg 12
3113 AR Schiedam

Certificate of Analysis

No. 201420635




Date : 23-9-2014

Instruction received on : 17-09-2014
 Sample received : 17-09-2014
 Sample said to be : Quinoa
 Packing : Plastic Jar
 Sample quantity : 609,00 gr
 Sample temperature : Ambient
 Sample sealed : No
 Marked : Quinoa, conventioneel niet biologisch
 PB: 2082158
 560 Cartons Quinoa
 Container: GESU1199972





Test Results:

Mycotoxins

LC-MS/MS, in-house method, NL/13


 Aflatoxin B1 LC-MS/MS, in-house method, NL/13	less than 0,5 $\mu\text{g}/\text{kg}$
 Aflatoxin Total B1, B2, G1 and G2 LC-MS/MS, in-house method, NL/13	less than 2,0 $\mu\text{g}/\text{kg}$
 Ochratoxin A LC-MS/MS, in-house method, NL/13	less than 1,0 $\mu\text{g}/\text{kg}$

Metal and Element analysis

 Arsenic (As) (ICP-MS, NEN-EN 15763, in-house method NL/26)	less than 0,01 mg/kg
 Cadmium (Cd) (ICP-MS, NEN-EN 13805, in-house method NL/26)	0,03 mg/kg
 Mercury (Hg) (ICP-MS, EN 13805; in-house method NL/26)	less than 0,01 mg/kg
 Lead (Pb) (ICP-MS, NEN-EN 13805, in-house method NL/26)	0,01 mg/kg

Pesticides: GC-MS/MS; LC-MS/MS, in-house method, NEN-EN 12393; NEN-EN 15662, NL/10a; NL/10c

Aryloxyalkanoic acid/ester	
2,4,5-T-Methylester 1928-37-6	less than 0,02 mg/kg
2,4,5-T (sum)	less than 0,05 mg/kg
MCPA and MCPB (sum)	less than 0,05 mg/kg
Carbamates	

 : accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl

NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



Bendiocarb 22781-23-3	less than 0,01 mg/kg
EPTC 759-94-4	less than 0,01 mg/kg
Fenobucarb 3766-81-2	less than 0,01 mg/kg
Fuberidazole 3878-19-1	less than 0,05 mg/kg
Furathiocarb 65907-30-4	less than 0,01 mg/kg
Pirimicarb (sum)	less than 0,05 mg/kg
Carbaryl 63-25-2	less than 0,01 mg/kg
Chlorpropham (sum)	less than 0,02 mg/kg
Propham 122-42-9	less than 0,01 mg/kg
Propoxur 114-26-1	less than 0,01 mg/kg
Swep 1918-18-9	less than 0,01 mg/kg
2,3,5-Trimethacarb/3,4,5-Trimethacarb 2655-15-4	less than 0,01 mg/kg
Aldicarb (sum)	less than 0,01 mg/kg
Butocarboxim 34681-10-2	less than 0,01 mg/kg
Butoxycarboxim 34681-23-7	less than 0,01 mg/kg
Carbofuran (sum)	less than 0,01 mg/kg
Carbofuran-3-keto 16709-30-1	less than 0,01 mg/kg
Methiocarb (sum)	less than 0,05 mg/kg
Methomyl (sum)	less than 0,02 mg/kg
Phenmedipham 13684-63-4	less than 0,01 mg/kg
Dithiocarbamate	.
ETU 96-45-7	less than 0,01 mg/kg
PTU 927-67-3	less than 0,01 mg/kg
Thiram 137-26-8	less than 0,1 mg/kg
Organochlorine Pesticides	.
Diclofop (sum)	less than 0,01 mg/kg
1,2,3,4-Tetrachlorobenzene 634-66-2	less than 0,01 mg/kg
1,2,4,5-Tetrachlorobenzene 95-94-3	less than 0,01 mg/kg
Bromocyclen 1715-40-8	less than 0,01 mg/kg
Bromopropylate 18181-80-1	less than 0,01 mg/kg
Chlordane (sum)	less than 0,01 mg/kg
Chlorobenzilate 510-15-6	less than 0,01 mg/kg
Chlorothalonil 1897-45-6	less than 0,01 mg/kg
DDD-OP 53-19-0	less than 0,008 mg/kg
DDD-PP 72-54-8	less than 0,008 mg/kg
DDE-OP 3424-82-6	less than 0,008 mg/kg
DDE-PP 72-55-9	less than 0,008 mg/kg
DDT-OP 789-02-6	less than 0,008 mg/kg
DDT-PP 50-29-3	less than 0,008 mg/kg

accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl


NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



DDT (sum)	less than 0,05 mg/kg
Aldrin and Dieldrin (sum)	less than 0,01 mg/kg
Endosulfan (sum)	less than 0,05 mg/kg
Endrin 72-20-8	less than 0,01 mg/kg
Hexachlorocyclohexane (HCH, sum)	less than 0,01 mg/kg
HCH-gamma-(Lindane) 608-73-1	less than 0,01 mg/kg
Heptachlor (sum)	less than 0,01 mg/kg
Hexachlorobenzene (HCB) 118-74-1	less than 0,01 mg/kg
Isodrin 465-73-6	less than 0,01 mg/kg
Methoxychlor 72-43-5	less than 0,01 mg/kg
Mirex 2385-85-5	less than 0,01 mg/kg
Nonachlor (Trans) 39765-80-5	less than 0,01 mg/kg
Pentachlorobenzene 608-93-5	less than 0,01 mg/kg
Quintozene (sum)	less than 0,01 mg/kg
S421 (octachlordipropylet) 127-90-2	less than 0,05 mg/kg
Tecnazene 117-18-0	less than 0,05 mg/kg
Telodrin 297-78-9	less than 0,01 mg/kg
Vinclozolin (sum)	less than 0,05 mg/kg
Dicofol (sum)	less than 0,02 mg/kg
Organophosphorus Pesticiden	.
Acephate 30560-19-1	less than 0,01 mg/kg
Bromophos-ethyl 4824-78-6	less than 0,01 mg/kg
Bromophos-methyl 2104-96-3	less than 0,01 mg/kg
Cadusafos 95465-99-9	less than 0,01 mg/kg
Carbophenothion 786-19-6	less than 0,01 mg/kg
Chlorfenvinphos 470-90-6	less than 0,01 mg/kg
Chlorpyrifos 2921-88-2	less than 0,01 mg/kg
Chlorpyrifos-methyl 5598-13-0	less than 0,01 mg/kg
Coumaphos 56-72-4	less than 0,01 mg/kg
Diazinon 333-41-5	less than 0,01 mg/kg
Dichlofenthion 97-17-6	less than 0,01 mg/kg
Dichlorvos 62-73-7	less than 0,01 mg/kg
Dicrotophos 141-66-2	less than 0,01 mg/kg
Disulfoton (sum)	less than 0,01 mg/kg
EPN 2104-64-5	less than 0,01 mg/kg
Ethion 563-12-2	less than 0,01 mg/kg
Ethoprophos 13194-48-4	less than 0,01 mg/kg
Etrimfos 38260-54-7	less than 0,01 mg/kg
Fenamiphos (sum)	less than 0,01 mg/kg

 : accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl


NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



Fenitrothion 122-14-5	less than 0,01 mg/kg
Fensulfothion (sum)	less than 0,003 mg/kg
Fenthion (sum)	less than 0,01 mg/kg
Fonofos 944-22-9	less than 0,01 mg/kg
Iprobenfos 26087-47-8	less than 0,01 mg/kg
Isazofos 42509-80-8	less than 0,01 mg/kg
Isocarbophos 24353-61-5	less than 0,01 mg/kg
Isofenphos 25311-71-1	less than 0,01 mg/kg
Isofenphos-methyl 99675-03-3	less than 0,01 mg/kg
Malathion (sum)	less than 0,02 mg/kg
Mecarbam 2595-54-2	less than 0,01 mg/kg
Methamidophos 10265-92-6	less than 0,01 mg/kg
Methidathion 950-37-8	less than 0,01 mg/kg
Mevinphos (sum)	less than 0,01 mg/kg
Dimethoate (sum)	less than 0,01 mg/kg
Paraoxon 311-45-5	less than 0,01 mg/kg
Parathion 56-38-2	less than 0,01 mg/kg
Parathion-methyl (sum)	less than 0,01 mg/kg
Phenthoate 2597-03-7	less than 0,05 mg/kg
Phosmet (sum)	less than 0,05 mg/kg
Phosphamidon 13171-21-6	less than 0,01 mg/kg
Pirimiphos-ethyl 23505-41-1	less than 0,01 mg/kg
Pirimiphos-methyl 29232-93-7	less than 0,01 mg/kg
Profenofos 41198-08-7	less than 0,01 mg/kg
Prothiofos 34643-46-4	less than 0,01 mg/kg
Pyrazophos 13457-18-6	less than 0,01 mg/kg
Pyridaphenthion 119-12-0	less than 0,01 mg/kg
Quinalphos 13593-03-8	less than 0,01 mg/kg
Sulprofos 35400-43-2	less than 0,01 mg/kg
Terbufos (sum)	less than 0,003 mg/kg
Tetrachlorvinphos 22248-79-9	less than 0,01 mg/kg
Tolclofos-methyl 57018-04-9	less than 0,01 mg/kg
Triazophos 24017-47-8	less than 0,01 mg/kg
Vamidothion 2275-23-2	less than 0,01 mg/kg
Chlorthion 500-28-7	less than 0,01 mg/kg
Fenchlorphos (sum)	less than 0,01 mg/kg
Phosalone 2310-17-0	less than 0,01 mg/kg
Azinphos-ethyl 2642-71-9	less than 0,02 mg/kg
Azinphos-methyl 86-50-0	less than 0,01 mg/kg

 : accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl


NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



Dibrom (Naled) 300-76-5	less than 0,01 mg/kg
Formothion 2540-82-1	less than 0,01 mg/kg
Heptenophos 23560-59-0	less than 0,01 mg/kg
Monocrotophos 6923-22-4	less than 0,01 mg/kg
Oxydemeton-methyl (sum)	less than 0,01 mg/kg
Phorate (sum)	less than 0,01 mg/kg
Phoxim 14816-18-3	less than 0,01 mg/kg
Sulfotep 3689-24-5	less than 0,01 mg/kg
Trichlorfon 52-68-6	less than 0,01 mg/kg
Organotin	.
Trifenylytin (Fentin) 668-34-8	less than 0,01 mg/kg
Other	.
Aclonifen 74070-46-5	less than 0,01 mg/kg
Bromacil 314-40-9	less than 0,01 mg/kg
Buprofezin 69327-76-0	less than 0,01 mg/kg
Captafol 2425-06-1	less than 0,01 mg/kg
Carboxin 5234-68-4	less than 0,01 mg/kg
Diclobutrazol 75736-33-3	less than 0,01 mg/kg
Diphenylamine 122-39-4	less than 0,01 mg/kg
DMSA 4710-17-2	less than 0,01 mg/kg
Dodemorph 1593-77-7	less than 0,01 mg/kg
Fenpropimorph 67564-91-4	less than 0,01 mg/kg
Flamprop-M-Isopropyl 57973-67-8	less than 0,01 mg/kg
Fluroxypyr 69377-81-7	less than 0,01 mg/kg
Furalaxyl 57646-30-7	less than 0,01 mg/kg
Isoprothiolane 50512-35-1	less than 0,01 mg/kg
Metholachlor 51218-45-2	less than 0,05 mg/kg
Napropamide 15299-99-7	less than 0,01 mg/kg
Nitrothal-Isopropyl 10552-74-6	less than 0,01 mg/kg
Nuarimol 63284-71-9	less than 0,01 mg/kg
Oxyfluorfen 42874-03-3	less than 0,01 mg/kg
Propyzamide 23950-58-5	less than 0,02 mg/kg
Pyraclostrobin 175013-18-0	less than 0,01 mg/kg
Pyridaben 96489-71-3	less than 0,01 mg/kg
Pyriproxyfen 95737-68-1	less than 0,01 mg/kg
Quizalofop (sum)	less than 0,05 mg/kg
Spiroxamine (sum) 118134-30-8	less than 0,01 mg/kg
Trifloxystrobin 141517-21-7	less than 0,01 mg/kg
2-Phenylphenol 90-43-7	less than 0,01 mg/kg

 : accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl


NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



Alachlor 15972-60-8	less than 0,01 mg/kg
Bifenox 42576-02-3	less than 0,05 mg/kg
Chlorfenson 80-33-1	less than 0,01 mg/kg
Dichlobenil 1194-65-6	less than 0,01 mg/kg
Dichlofluanid 1085-98-9	less than 0,01 mg/kg
Dicloran 99-30-9	less than 0,01 mg/kg
Diethyltoluamid (DEET) 134-62-3	less than 0,01 mg/kg
Fenson 80-38-6	less than 0,01 mg/kg
Propargite 2312-35-8	less than 0,01 mg/kg
Tetradifon 116-29-0	less than 0,01 mg/kg
Bentazone (sum)	less than 0,05 mg/kg
Clopyralid 1702-17-6	less than 0,01 mg/kg
Cycloxydim (sum) 101205-02-1	less than 0,05 mg/kg
Fenhexamid 126833-17-8	less than 0,01 mg/kg
Fluazifop-P-butyl (sum)	less than 0,05 mg/kg
Flubendiamide 272451-65-7	less than 0,01 mg/kg
Fluthiacet-Methyl 117337-19-6	less than 0,01 mg/kg
Folpet 133-07-3	less than 0,01 mg/kg
Sum of Captan and Folpet	less than 0,02 mg/kg
Haloxyfop (sum)	less than 0,01 mg/kg
Isoxaben 82558-50-7	less than 0,01 mg/kg
Oxadiazon 19666-30-9	less than 0,01 mg/kg
Quinmerac 90717-03-6	less than 0,01 mg/kg
Rotenone 83-79-4	less than 0,01 mg/kg
Clethodim (sum)	less than 0,05 mg/kg
Other Organonitrogen Pesticides	.
Acetochlor 34256-82-1	less than 0,01 mg/kg
Azoxystrobin 131860-33-8	less than 0,01 mg/kg
Benalaxyl (sum)	less than 0,05 mg/kg
Boscalid 188425-85-6	less than 0,01 mg/kg
Bupirimate 41483-43-6	less than 0,01 mg/kg
Clofentezine 74115-24-5	less than 0,01 mg/kg
Cyprodinil 121552-61-2	less than 0,01 mg/kg
Fipronil (sum)	less than 0,004 mg/kg
Imazalil 35554-44-0	less than 0,01 mg/kg
Indoxacarb (sum)	less than 0,01 mg/kg
Iprodione 36734-19-7	less than 0,01 mg/kg
Kresoxim-methyl 143390-89-0	less than 0,01 mg/kg
Metalaxyl (sum)	less than 0,05 mg/kg

 : accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl

NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



Metazachlor 67129-08-2	less than 0,01 mg/kg
Nitralin 4726-14-1	less than 0,01 mg/kg
Oxadixyl 77732-09-3	less than 0,01 mg/kg
Procymidon 32809-16-8	less than 0,01 mg/kg
Pymetrozin 123312-89-0	less than 0,01 mg/kg
Pyrifenox 88283-41-4	less than 0,01 mg/kg
Tebufenpyrad 119168-77-3	less than 0,01 mg/kg
Tolyfluanid (Sum)	less than 0,02 mg/kg
Amitraz (sum)	less than 0,01 mg/kg
Benfluralin 1861-40-1	less than 0,01 mg/kg
Fludioxonil 131341-86-1	less than 0,01 mg/kg
Nitrofen 1836-75-5	less than 0,01 mg/kg
Pendimethalin 40487-42-1	less than 0,01 mg/kg
Trifluralin 1582-09-8	less than 0,01 mg/kg
Acetamiprid (sum)	less than 0,01 mg/kg
Carbendazim and Benomyl (sum)	less than 0,01 mg/kg
Cinosulfuron 94593-91-6	less than 0,01 mg/kg
Dimefuron 34205-21-5	less than 0,01 mg/kg
Diuron (sum)	less than 0,05 mg/kg
Fomesafen 72178-02-0	less than 0,01 mg/kg
Imazapyr 81334-34-1	less than 0,01 mg/kg
Imazethapyr 81335-77-5	less than 0,01 mg/kg
Imidacloprid 138261-41-3	less than 0,01 mg/kg
Lenacil 2164-08-1	less than 0,1 mg/kg
Meptyldinocap (sum)	less than 0,05 mg/kg
Metamitron 41394-05-2	less than 0,01 mg/kg
Methabenzthiazuron 18691-97-9	less than 0,01 mg/kg
Oryzalin 19044-88-3	less than 0,01 mg/kg
Prochloraz (sum)	less than 0,05 mg/kg
Thiabendazole 148-79-8	less than 0,01 mg/kg
Thiacloprid 111988-49-9	less than 0,01 mg/kg
Thiamethoxam 153719-23-4	less than 0,005 mg/kg
Thiamethoxam (sum)	less than 0,01 mg/kg
Thiophanate-methyl 23564-05-8	less than 0,01 mg/kg
Tricyclazole 41814-78-2	less than 0,01 mg/kg
Pyrethroid	.
Flucythrinate 70124-77-5	less than 0,01 mg/kg
Piperonyl-butoxide 51-03-6	less than 0,01 mg/kg
Tetramethrin 7696-12-0	less than 0,01 mg/kg

accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl

NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



Allethrin 584-79-2	less than 0,01 mg/kg
Bifenthrin 82657-04-3	less than 0,01 mg/kg
Cyfluthrin (sum) 68359-37-5	less than 0,01 mg/kg
Cyhalothrin (sum) 91465-08-6	less than 0,01 mg/kg
Cypermethrin (sum) 52315-07-8	less than 0,01 mg/kg
Deltamethrin (cis) 52918-63-5	less than 0,01 mg/kg
Esfenvalerate/Fenvalerate (Sum)	less than 0,01 mg/kg
Etofenprox 80844-07-1	less than 0,01 mg/kg
Fenpropathrin 39515-41-8	less than 0,01 mg/kg
Permethrin (sum) 52645-53-1	less than 0,01 mg/kg
Phenothrin 26002-80-2	less than 0,01 mg/kg
Resmethrin 10453-86-8	less than 0,01 mg/kg
Silaneophan (Silafloufen) 105024-66-6	less than 0,01 mg/kg
Tefluthrin 79538-32-2	less than 0,01 mg/kg
Quarternary ammonium	.
Chlormequat 7003-89-6	less than 0,05 mg/kg
Mepiquat 24307-26-4	less than 0,05 mg/kg
Toxaphene	.
Camphechlor (Toxaphene, sum)	less than 0,01 mg/kg
Triazine	.
Ametryn 834-12-8	less than 0,01 mg/kg
Atrazine 1912-24-9	less than 0,01 mg/kg
Hexazinone 51235-04-2	less than 0,01 mg/kg
Methoprotrolyne 841-06-5	less than 0,01 mg/kg
Metribuzin 21087-64-9	less than 0,01 mg/kg
Prometon 1610-18-0	less than 0,01 mg/kg
Propazine 139-40-2	less than 0,01 mg/kg
Simazine 122-34-9	less than 0,01 mg/kg
Terbutylazine 5915-41-3	less than 0,01 mg/kg
Terbutryn 886-50-0	less than 0,01 mg/kg
Triazole	.
Difenoconazole 119446-68-3	less than 0,01 mg/kg
Epoxiconazole 133855-98-8	less than 0,01 mg/kg
Etaconazol 71245-23-3	less than 0,01 mg/kg
Flusilazole 85509-19-9	less than 0,01 mg/kg
Myclobutanil 88671-89-0	less than 0,01 mg/kg
Penconazole 66246-88-6	less than 0,01 mg/kg
Propiconazole 60207-90-1	less than 0,01 mg/kg
Triadimefon and Triadimenol (sum)	less than 0,1 mg/kg

accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl

NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:



Tri-allate 2303-17-5	less than 0,01 mg/kg
Bitertanol 55179-31-2	less than 0,01 mg/kg
Cyproconazole 94361-06-5	less than 0,01 mg/kg
Paclobutrazol 76738-62-0	less than 0,01 mg/kg
Prothioconazole 178928-70-6	less than 0,01 mg/kg
Tebuconazole 107534-96-3	less than 0,01 mg/kg
Urea	.
Linuron 330-55-2	less than 0,01 mg/kg
Metobromuron 3060-89-7	less than 0,01 mg/kg
Monolinuron 1746-81-2	less than 0,01 mg/kg
Buturon 3766-60-7	less than 0,01 mg/kg
Chlortoluron 15545-48-9	less than 0,01 mg/kg
Metoxuron 19937-59-8	less than 0,01 mg/kg
Monuron 150-68-5	less than 0,01 mg/kg
Neburon 555-37-3	less than 0,01 mg/kg
Pencycuron 66063-05-6	less than 0,01 mg/kg
Triasulfuron 82097-50-5	less than 0,01 mg/kg






General

Moisture (dry method at 103°C; 8h) 11,74 %

Specific event


* Gliadin / Gluten Content	
* Gliadin (ELISA, R5-Mendez)	less than 2,5 mg/kg
* Gluten (as content gliadin x 2, R5-Mendez)	less than 5,0 mg/kg

Starting date microbiological investigation: 17-09-2014

 Salmonella (Vidas easy SLM eq. ISO 6579)	not detected / 25 g
 E.Coli (conform ISO 16649-02)	less than 10 cfu/g
 Enterobacteriaceae (conform ISO 21528-2)	4,0E4 cfu/g
 Aerobic Plate Count (conform ISO 4833 at 30°C)	1,2E5 cfu/g
Yeasts (equal to NEN-ISO 21527-2)	5,6E3 cfu/g
Moulds (equal to NEN-ISO 21527-2)	6,3E1 (estimated) cfu/g
 Moulds & Yeast (conform NEN-ISO 21527-2)	5,8E3 cfu/g

Nofalab B.V.
M. Bruggeman
Deputy Director

* : outsourced

 : accredited method (accreditation number L440)

The results of the examination refer exclusively to the checked samples. Duplicates - even in parts - must be authorized by the test laboratory in written form. Additional information concerning the performance characteristics of this analysis such as measurement uncertainty is available upon request. All orders are executed only on our latest conditions filed at Chamber of Commerce for Rotterdam, KVK-no.:24361065.



NofaLab B.V.
Jan van Galenstraat 41
NL - 3115 JG Schiedam

Phone: +31 10 4279620
Fax: +31 10 4279629
E-mail: info@nofalab.nl

NofaLab has been certified by:



NofaLab has been accredited by the council of the federation:

